

Communication Answered In Style



Bittel MODA

MODA stack includes multiple modules which provide features like Speaker Phone, charging devices, Bluetooth connectivity, FM Radio, Clock/Alarm & wireless charging.

Designed by Jacob Jensen Design

Equipped with powerful and creatively designed handset

Features

- Magnetically attached charging cables and Charging ports.
- Option for wireless charging.
- Easy to use radio.
- Bluetooth 5 compatible.
- MODA specific pairing ID.
- Clock display equipped with auto- dimming feature.
- Printable faceplate area for branding and dialing instruction.



UNO media 5 – UM7711

Features

- Up to 7 charging ports 4 x Smart USB & 1 x 3 ports MFC cable
- High-grade aluminum alloy faceplate with elegant acrylic panel
- High Quality Stereo Speakers
- NFC (Near Field Communication) enabled touch-less pairing.
- High Powered Rapid Charger
- Up to 10 programmable guest service keys
- Easy-to-use alarm clock/radio with snooze
- Battery back-up for Clock and Alarm
- Auto ascending Alarm Volume
- Audio input for portable music player
- High performance sound system
- Daylight Saving Time(DST) auto change
- Hearing aid compatible handset
- Message waiting indicator compatible with all major hospitality PBXs



Specifications

- Dimension: 17.5*16.5*5(cm)
- Handset cord: 3.6m
- Line cord: 2m
- Weight: 1.4 kg
- Color: Black
- Power Adaptor: 7.5V, 3A, 22.5W
- Rated Power: 20W
- Standby Power: 0.35W
- Quality Regulation System: ISO9001
- Certification: FCC,CE,CCC

Bittel NEO series - HA(62)TSD-10S

Features

- Small, Sleek and Versatile
- High performance Speakerphone on base.
- Two high powered USB charge ports (Optional).
- Patented Multi Function Cable (Optional)
- ProGuard Keyboard; Unique reliable keyboard design
- Redials the last number dialed. Dialed number disappears for guest privacy.
- Full length faceplate for hotel's logo and dial instructions
- Compatible with all major hotel PBX message waiting formats.
- HAC feature
- RoHS, FCC approved
- Desk or wall mountable
- Up to 10 programmable service buttons.



Landscape Variant



With charge base (optional)

Specifications

- Upright model :19.3×11×10.1(cm)
- Landscape model : 20.4×11×8.7(cm)
- Coiled cord: 2.0m
- Line cord: 2.7m
- Weight: 0.8kg
- Quality Regulation System: ISO9001



Um77 Trimline - UM7713

Features

- Handset Receiver -- Hearing aid compatibility
- Adjustable Flash Button – 600ms flash time by default
- Redial Button, Volume Button
- Message Waiting Light – indicator of ringing, voice message
- Wall-mount or Desk-mount Optional.
- Last dialed number disappears to protect guests privacy

Specifications

- Dimension: 21.8x6x7(cm)
- Weight: 0.385Kg
- Color: Black, Ivory
- Working Voltage: 24V~60V
- Quality Regulation System: ISO9001
- Certification: FCC, CE



Uranus Cordless - HWD9888(38)TSD

Features

- One Base-station supports up to 3 handsets
- Supports 2.4GHz DECT standard
- Both Handset and Base Unit can make/answer call
- The last dialed number disappears after a definite time (Only for Uranus cordless)
- For both Base and Handset, Ringer and Volume are adjustable
- Flash, Redial and Hold for both Handset and the Unit
- Busy tone disconnects automatically for both Base Unit & Handset
- Handset warns if it is beyond the operational distance
- Handset detects the Battery power and warns if battery is low
- Base Unit has the MWL retrieval function
- Last dialed number disappears after a definite time
- Permanent EEPROM memory keys
- Supports Handset Programming Cloner and Remote Programming Master Cloner
- Cord Tray and Placard optional
- Handset recharges the battery rapidly
- Digital code transmission, avoids mutual interfaces with other electronic equipments
- WPC approved (Import License needed)



Dimension : (225x165x90) mm

Color : Ivory & Black



Uranus 38 - HA9888(38)TSD

Features

- Available in single and two line models
- 10 / 5 / 3 / 0, Permanent one-touch memory keys
- Supports Remote Programming Master Cloner and Hand-held Programming Cloner
- Message waiting light with retrieval function
- Busy tone disconnects automatically
- Last dialed number disappears after a definite time
- Data Port
- Flash button for Base and Handset, 600ms Flash (Standard)
- Flash and Pause time programmable
- Hook switch delay time is programmable
- Mute button optional
- Speaker and Handset volume, three-step adjustable
- Ringer Volume HI / LOW adjustable
- Two line auto-select and three-way conference (Two Line Phone only)
- Specific Tray and Placard optional
- Desk and Wall mountable

Dimension : (225x165x90) mm

Color : Ivory & Black



Venus 32 - HA9888(32)TSD

Features

- 10/5/3/0, Permanent one-touch memory keys
- Message waiting light and ringer indicator
- Data Port
- Speaker and Hold with indicators
- Redial and Flash
- Ringer Volume HI/LOW adjustable
- Speaker and Handset volume, three steps adjustable
- Handset with HAC (Hearing Aid Compatible)
- Movable Tray and Placard
- Cord tray and Placard optional



Dimension : (220x150x90) mm

Color : Ivory & Black

Bluemoon 12 - HA(12)TSD-A-6S(A8)

Features

- Large Faceplate
- Message Waiting Light and Ringer Indicator
- PrivacyGuard™, Last dialed number disappearing after a definite time
- Flexible Data Port
- Indicators for Hold and SPKR
- Hold, Flash and Redial
- Ringer Volume HI/LOW adjustable
- Handset with HAC
- SPKR and Handset volume three-step adjustable
- Desk and Wall Mountable



Dimension : (211x152x86) mm

Color : Ivory & Black



Bathroom Phone

UNO 66 Trimline - HA9888(66)T

Features

- Small and exquisite bathroom phone
- Hangup, Redial and Hold with indicator
- Single and two line models
- Large printable faceplate area for branding and dialing instructions
- Message waiting indicator compatible with all major hospitality PBXs
- Phone-only model is wall mountable
- High-grade, clean and tidy
- Withdrawable faceplate, more convenient
- Flush front panel with clean & elegant appearance
- Upright design presents user controls ergonomically

Dimension : (201x100x46) mm

Color : Ivory & Black



UNO 69 - HA9888(69)TSD

Features

- Single line speakerphone
- Up to 3 programmable guest service keys
- Mini printable faceplate for branding and dialing instructions
- Express Programmer, Hand held cloner and Remote Master cloner are used to program the phone faster and accurately
- PrivacyGuard™, the last dialed number disappears after 5 minutes to protect the privacy of guests
- AutoConnect™, busy tone disconnects automatically
- Message waiting indicator compatible with all major hospitality PBXs.

Dimension : (175x112x142) mm

Color : Ivory & Black



Polaris 41T-5 - HA9888(41)T-5

Features

- Magnetic Hook Switch, achieves better waterproofing
- Customized faceplate
- Flash, Pause
- Redial, Hold
- Backlit keypad
- Message waiting indicator
- Desk or Wall Mountable
- Handset with HAC

Dimension : (225x90x85) mm

Color : 0.4 Kg

Color : Ivory & Black



Polaris 41T-18 - HA9888(41)T-18

Features

- Membrane touch keypad optional for better waterproofing
- Magnetic Hook Switch TM, achieves better waterproofing
- Flash, Pause
- Redial, Hold
- Backlit keypad
- Message waiting indicator
- Desk or Wall Mountable

Dimension : (223x68x65) mm

Color : 0.3 Kg

Color : Ivory & Black



Uranus Business Phone - HCD9888(38)TSD

Features

- Active memory for incoming calls 116, FSK/DTMF Caller ID System
- 16 digit, 16 line outgoing call records
- 6 local area code setting and 6 long-distance code setting
- Auto recall when the line is busy
- LCD contrast adjustment five level adjustable
- Built-in real date, time clock and week display
- Ringing and Message waiting light
- 12-digit, 12-line indirect memory keys
- Speakerphone
- Flash time 600ms
- Pause, hold, redial, flash and volume



Dimension : (225x165x90) mm

Color : Ivory & Black

Uranus Lobby Phone - 38TS-B-P(N)

Features

- Used in hall, aisle, lift, entertainment center and public areas
- Lift handset to connect to one-touch service key offering convenient service for guests.

Dimension : (225x165x90) mm

Color : Ivory & Black



Sales Offices:

Ahmedabad

409, Pinnacle Business Park,
Corporate Road,
Pralhadnagar,
Ahmedabad - 380015
Tel.: +91-79-4040 7500

Bengaluru

No. 92-93, 1st Floor,
Garden Citi Plaza, Domlur,
Koramangala Intermediate
Ring Road, Amar Jyothi Layout,
Bengaluru - 560071
Tel.: +91-80-4361 8000

Bhopal

2nd Floor, Gomti-Villa,
273, Zone-II, M. P. Nagar,
Bhopal - 462011
Tel.: +91-75-5400 4676

Bhubaneswar

Plot No.382, 2nd Floor
Bhoi Nagar, Behind Sahid
Nagar Police Station,
Bhubaneswar - 751022
Mob.: +91-94370 04318

Chandigarh

C/o Regus Business Centre,
SCO 54-56, 3rd Floor,
Sector 17A,
Chandigarh 160017, India
Mob.: +91-99888 99421

Chennai

Unit No.2, West wing,
4th Floor, Maalavika Centre,
No.144-145 Kodambakkam
High Road, Nungambakkam,
Chennai - 600 034
Tel.: +91-44-2833 4190

Cochin

KG Oxford Business Centre,
No 39/4609, 4th Floor C,
Sree Kandath Road,
Ravipuram, Cochin - 682016
Tel.: +91-484-404 4260

Delhi

A-25, Mohan Co-operative
Industrial Estate, Mathura
Road, New Delhi - 110044
Tel.: +91-11-4288 5508

Gurgaon

4th floor B-Block, Times Square
Building, Sushant Lok Phase 1,
Gurgaon – 122001, Haryana
Tel.: +91-11-4288 5508

Hyderabad

H. No. 1-65/2/40 & 41 (P)
Plot No: 68, 1st Floor, A1 Towers,
Sri Rama Colony, Kavuri Hills
Phase 1, Madhapur,
Hyderabad – 500 033
Tel.: +91-40-4448 2500

Jaipur

605, 6th Floor, Green House,
Ashok Marg, C-Scheme,
Jaipur - 302001
Mob.: +91-96549 10792
Mob.: +91-96729 91967

Jammu

Lane No-1, R K Vihar Behind,
Rama Krishn Ashram,
Udhewalla, Bohri,
Jammu-180002
Mob.: +91-99888 99421

Kolkata

12th Floor, Unit No.3, PS Srijan
Corporate Park Tower-1,
Plot No. G-2, Block EP & GP,
Sector-V, Bidhannagar,
Salt Lake Electronics Complex,
Kolkata – 700091
Tel.: +91-33-4016 5100

Lucknow

C/O. Regus Infinity Business
Hubs, 4th Floor, Halwasiya
Court, Hazratganj,
Lucknow - 226001, U.P.
Mob.: +91-77048 09251

Mumbai

Unit No. 901, 9th Floor,
Lodha Supremus, Wing - E,
I Think Techno Campus,
Kanjurmarg (East),
Mumbai - 400 042
Tel.: +91-22-4154 7000

Mahape

EL - 19, MIDC, TTC Industrial
Area, Mahape, Near Nelco,
Navi Mumbai - 400710

Pune

Office No. 2, 2nd Floor,
Patil & ABK House, Pakharbaug
Society, Ram Nagar, Bavdhan,
Pune, Maharashtra - 411021
Tel.: +91-20-2291 6060

Vadodara

A/413, Atlantis, B/s. Central
Square, At Sarabhai Campus,
Nr. Genda Circle,
Vadodara - 390023
Tel.: +91-265-232 3155

Visakhapatnam

Visakha Business Centre, Cabin
S-9, 46-19-5, Manda Vari Street,
Behind Big Bazar, Dondaparthi,
Visakhapatnam - 530016
Mob.: +91-99493 53919

Nagpur

1st Floor, 6-A, Matruchaya,
Modern Society, Chhatrapati
Square, Wardha Road,
Nagpur - 440015
Tel.: +91-712-3580 369

Aurangabad

Mob.: +91-77200 25100

Coimbatore

Mob.: +91-90430 02473

Dehradun

Mob.: +91-95680 10446

Goa

Mob.: +91-80-4361 8000

Guwahati

Mob.: +91-98640 16888

Kota

Mob.: +91-96549 10792

Madurai

Mob.: +91-90430 02473

Patna

Mob.: +91 98713 95569

Raipur

Mob.: +91-98260 10263

Ranchi

Mob.: +91-76541 90694

Vijayawada

Tel.: +91-40-4448 2500

Trichy

Mob.: +91-90430 02473

Contact us: 011-4288 5508

www.progilitytech.com

Corporate Head Office: Unit No. 1001, 10th Floor, Lodha Supremus, Wing - E, I Think Techno Campus, Kanjurmarg (East),
Mumbai - 400 042, Maharashtra, India. Tel.: +91-22-4154 7000, Fax: +91-22-4154 7222 Email us - india@progilitytech.com

